

Plus Series

Aluminium
Profiles
2024





Welcome
to the World of
Aluminium Profiles



THE CONTENT

● SLIM SERIES

> PLUS.....	08
> FUTRACT.....	14
> BESTIN.....	18
> ENIGMA.....	22
> FUDE.....	26
> BALIN.....	32
> FUMA.....	34
> SHIN.....	36

● EXCLUSIVE SERIES

> AUTOMATIC INLINE.....	40
> AUTOMATIC SYNCHRO.....	42
> FLAVIA (WARDROBE).....	44
> WALK IN (WARDROBE).....	46
> ALESSA.....	48

● WARDROBE SERIES

> AEWA.....	54
> AEWA+.....	56
> STELLER.....	58
> ELIO.....	60




> TERRA.....	64
> LUNA.....	68
> FIGO.....	70
> FIA.....	74
> AKIRA.....	78
> KAIZEN.....	80
> ZEN.....	82
> ZEN+.....	84
> ETRO.....	86
> TESSA.....	88
> FUCON LED.....	90

● OFFICE SERIES

> KATANA.....	96
> IKIGAI.....	98
> SPHINX.....	102

● KITCHEN SERIES

> GLIDER.....	106
> KITCHEN ITALIA.....	108
> KITCHEN PROFILES.....	110
> GOLLA.....	112
> PROFILES.....	116





SS SLIM SERIES




Plus
16X40

Specification :

- Can be used for single sliding door, pocket door system, telescopic sliding system, synchronized sliding system for elegant look.
- Glass thickness supported: 8 MM - 10 MM.
- Can be used for sliding from both side.
- Max. weight capacity 80 kg.
- Both side soft close system.

SINGLE DOOR SLIDING PLUS SYSTEM

VPS 51




SYNCHRONIZED SLIDING PLUS SYSTEM

VPSS 51




3 LINKAGE DOOR PLUS SYSTEM

VPTS 53




4 LINKAGE DOOR PLUS SYSTEM

VPTS 54



5 LINKAGE DOOR PLUS SYSTEM

VPTS 55



ADDITIONAL LINKAGE DOOR KIT FOR EXTRA DOOR

VPS 55



: Color Options :




Ceramic Black



Brown


SINGLE SLIDING TRACK USED FOR SLIDING DOOR (3 & 5 MTR)

VST 50




DOUBLE SLIDING TRACK USED FOR SLIDING DOOR (3 & 5 MTR)

VST 51



SLIDING TRACK USED FOR SYNCHRONIZED SLIDING (3 & 5 MTR)

VST 52



TRACK COVER USED FOR SINGLE AND DOUBLE SLIDING TRACK (3 & 5 MTR)

VST 50/51A




CENTRE CAP USED FOR SINGLE AND DOUBLE SLIDING TRACK (3 & 5 MTR)

VEC 50A




SIDE END CAP USED FOR SINGLE AND DOUBLE SLIDING TRACK (3 & 5 MTR)

VEC 50B




CONCEAL TRACK END CAP USED FOR SINGLE AND DOUBLE SLIDING TRACK (3 & 5 MTR)

VEC 50C




SIDE VERTICAL PROFILE USED FOR SLIDING DOOR (3 & 5 MTR)

V 500



**VERTICAL COVER USED
FOR SLIDING DOOR
(3 & 5 MTR)**

V 500A




**INTERLOCKING VERTICAL
COVER USED FOR
SLIDING DOOR (3 & 5 MTR)**

V 500B




**SYNCHRO COVER LEFT
SIDE USED FOR SYNCHRO
SLIDING DOOR (3 & 5 MTR)**

V 500C




**SYNCHRO COVER RIGHT
SIDE USED FOR SYNCHRO
SLIDING DOOR
(3 & 5 MTR)**

V 500D




**VERTICAL COVER USED
FOR CORNER SLIDING
DOOR (3 & 5 MTR)**

V 500E



**TOP AND BOTTOM HORIZONTAL
PROFILE USED FOR SLIDING &
OPENABLE DOOR (3 & 5 MTR)**

V 501



**PVC GASKET SEAL
(3 MTR)**

VPVC 500/501



**ROUND SLIDING
HANDLE (135MM)**

VSH 53-135



U HANDLE

VSH 53-U



SLIDING DOOR LOCK

VSL 52




FIX CLAMP

VFC 50



**DOOR FRAME USED
FOR OPENABLE DOOR
(2.8 & 3.6 MTR)**

VDF 50



**OPENABLE DOOR
PIVOT SET SYSTEM**

VDP 50




**OPENABLE DOOR
MAGNETIC LOCK**

VML 500



**DOOR FRAME
CORNET SET**

VPC 58





Specification :

- Profile: 16 MM * 40 MM.
- Ceramic Black finish available.
- Glass thickness supported: 8 MM - 10 MM.
- Min. door width is 600 MM.
- Max. weight capacity 80 kg.
- Internal & External hidden hardware.

SLIDING FOLDING DOOR SET WITH LOCK (OPEN FROM RIGHT SIDE)

VPSF 65



SLIDING FOLDING DOOR SET (FOR OTHER DOOR)

VPSF 66




SLIDING FOLDING LOCK (SET)

VPSF 67




DOOR COVER C (3 & 5 MTR)

V 500F





WALL PROFILE (3 & 5 MTR)

V 500G



SIDE END CAP USED FOR SINGLE AND DOUBLE SLIDING TRACK (3 & 5 MTR)

VEC 50D



CODE	VPSF 65	VPSF 66	VPSF 67
Product Name	Sliding Folding Door Set With Lock (Open From Right Side)	Sliding Folding Door Set (For Other Door)	Sliding Folding Door Lock (Set)
2.5 Folding Door	1 Set	1 Set	1 Set
3.5 Folding Door	1 Set	2 Set	2 Set
4.5 Folding Door	1 Set	3 Set	3 Set
5.5 Folding Door	1 Set	4 Set	4 Set




Futract
5x40

Specification :

- Can be used for single sliding door, pocket door system, telescopic sliding system, synchronized sliding system for elegant look.
- Glass thickness supported: 8 MM.
- Min. door width is 790 MM.
- Max. weight capacity 80-100 kg.
- Both side soft close system.

SLIDING DOOR SYSTEM WITH SOFT CLOSE (WITHOUT BOTTOM TRACK)

VHPS 01



TELESCOPIC SLIDING DOOR SYSTEM WITH SOFT CLOSE 1FIX 2 SLIDE (WITHOUT BOTTOM TRACK)

VHPTS 02



TELESCOPIC SLIDING DOOR SYSTEM WITH SOFT CLOSE 1FIX 3 SLIDE (WITHOUT BOTTOM TRACK)

VHPTS 03



TELESCOPIC SLIDING DOOR SYSTEM WITH SOFT CLOSE 1FIX 4 SLIDE (WITHOUT BOTTOM TRACK)

VHPTS 04



SYNCHRONIZED SLIDING DOOR SYSTEM 2FIX 2SLIDE (WITHOUT BOTTOM TRACK)

VHPSS 01



: Color Options :




Ceramic Black



Brush Gold (Matt)

SLIDING TRACK USED FOR VHPTS 02, 03, 04, VHPS 01, VHPSS 01 (3 & 5 MTR)

VST 40




SLIDING TRACK COVER USED WITH VST 40 TO COVER TRACK FROM BOTH SIDE (3 & 5 MTR)

VST 40A




SIDE PROFILE USED FOR SLIDING DOOR AND FIX PARTITION (3 & 5 MTR)

V 9000



TOP & BOTTOM PROFILE USED FOR SLIDING DOOR & OPENABLE DOOR (3 & 5 MTR)

V 9001




SLIDING DOOR HANDLE USED WITH V9000

VSH 93



SLIDING LOCK WITH KEY AND KNOB

VSL 91



FIX CLAMP FOR FIXING PROFILE


VFC 01






FLAT DOOR FRAME (2.8 & 3.6 MTR)

VDF 01B




DOOR FRAME USED WITH V8000 & V9000 (2.8 & 3.6 MTR)

VDF 01C



DOOR FRAME (INSIDE OPENING) USED WITH V8000 & V9000 (2.8 & 3.6 MTR)

VDF 01D



MAGNETIC LOCK USED FOR OPENABLE DOOR

VML 9000



FLOOR SPRING FOR OPENABLE DOOR

VFS 90/120 KG



FLOOR SPRING TOP AND BOTTOM PATCH SET FOR PROFILE DOOR

VFP 02



CONCEAL HINGE

VDH 31 HEAVY



OPENABLE DOOR PIVOT SET

VDP 02







Bestin
10X40

Specification :

- Can be used for single sliding door, pocket door system, telescopic sliding system, synchronized sliding system for elegant look.
- Glass thickness supported: 8 MM.
- Min. door width is 790 MM.
- Max. weight capacity 80-100 kg.
- Both side soft close system.

: Color Options :




Ceramic Black



Brush Gold (Matt)

SLIDING DOOR SYSTEM WITH SOFT CLOSE (WITHOUT BOTTOM TRACK)

VHPS 01




TELESCOPIC SLIDING DOOR SYSTEM WITH SOFT CLOSE 1FIX 2 SLIDE (WITHOUT BOTTOM TRACK)

VHPTS 02




TELESCOPIC SLIDING DOOR SYSTEM WITH SOFT CLOSE 1FIX 3 SLIDE (WITHOUT BOTTOM TRACK)

VHPTS 03



TELESCOPIC SLIDING DOOR SYSTEM WITH SOFT CLOSE 1FIX 4 SLIDE (WITHOUT BOTTOM TRACK)

VHPTS 04




SYNCHRONIZED SLIDING DOOR SYSTEM 2FIX 2SLIDE (WITHOUT BOTTOM TRACK)

VHPSS 01



SLIDING TRACK USED FOR VHPTS 02, 03, 04, VHPS 01,VHPSS 01 (3 & 5 MTR)

VST 40




SLIDING TRACK COVER USED WITH VST 40 TO COVER TRACK FROM BOTH SIDE (3 & 5 MTR)

VST 40A




SIDE PROFILE USED FOR SLIDING DOOR AND FIX PARTITION (3 & 5 MTR)

V 8000




TOP & BOTTOM PROFILE USED FOR SLIDING DOOR & OPENABLE DOOR (3 & 5 MTR)

V 8001




DIVIDING PROFILE USED FOR HORIZONTAL AND VERTICAL ACTUAL PARTITION (3 & 5 MTR)

V 8002




STICKING PROFILE USED FOR DOOR PATTERN (3 & 5 MTR)

V 8003A



SLIDING LOCK WITH KEY AND KNOB

VSL 81



SLIDING DOOR BUTTON LOCK WITH HANDLE

VSL 82



SLIDING DOOR HANDLE

VSH 83



END CAP FOR TOP AND BOTTOM


VEC 40



FIX CLAMP FOR FIXING PROFILE


VFC 01






FLAT DOOR FRAME (2.8 & 3.6 MTR)

VDF 01B




DOOR FRAME USED WITH V8000 & V9000 (2.8 & 3.6 MTR)

VDF 01C



DOOR FRAME (INSIDE OPENING) USED WITH V8000 & V9000 (2.8 & 3.6 MTR)

VDF 01D



MAGNETIC LOCK USED FOR OPENABLE DOOR

VML 8000



FLOOR SPRING FOR OPENABLE DOOR

VFS 90/120 KG



CONCEAL HINGE

VDH 31 HEAVY



FLOOR SPRING PATCH

VFP 02




OPENABLE DOOR PIVOT SET

VDP 02








Enigma
7x45

Specification :

- Can be used for single sliding door, pocket door system, telescopic sliding system, synchronized sliding system for elegant look.
- Glass thickness supported: 5 MM and 8 MM.
- Min. door width is 790 MM.
- Max. weight capacity 80 kg.
- Both side soft close system.

SLIDING DOOR SYSTEM WITH SOFT CLOSE (WITHOUT BOTTOM TRACK)

VPS 01




TELESCOPIC SLIDING DOOR SYSTEM WITH SOFT CLOSE 1FIX 2 SLIDE (WITHOUT BOTTOM TRACK)

VPTS 02



TELESCOPIC SLIDING DOOR SYSTEM WITH SOFT CLOSE 1FIX 3 SLIDE (WITHOUT BOTTOM TRACK)

VPTS 03



TELESCOPIC SLIDING DOOR SYSTEM WITH SOFT CLOSE 1FIX 4 SLIDE (WITHOUT BOTTOM TRACK)

VPTS 04



SYNCHRONIZED SLIDING DOOR SYSTEM 2FIX 2SLIDE (WITHOUT BOTTOM TRACK)

VPSS 01




: Color Options :




SLIDING TRACK USED FOR VPTS 02, 03, 04, VPS 01, VPSS 01 (3 & 5 MTR)

VST 20




SLIDING TRACK COVER USED WITH VST 20 TO COVER TRACK FROM BOTH SIDE (3 & 5 MTR)

VST 20A




7*45 SIDE PROFILE (3 & 5 MTR)

V 4000




7*45 TOP & BOTTOM PROFILE (3 & 5 MTR)

V 4001




7*36 ACTUAL DIVIDER (3 & 5 MTR)

V 4002




16 X 18 STICKING PROFILE USED FOR DOOR PATTERN (3 & 5 MTR)

V 2003A




**7 X 18 STICKING
PROFILE USED
FOR DOOR PATTERN
(3 & 5 MTR)**

V 2003B



**ROUND STICKING
PROFILE USED
FOR DOOR PATTERN
(3 & 5 MTR)**

V 2003C




**ROUND CORNER
PIPE (3 MTR)**

V 2004




**INTER LOCKING PROFILE
USED FOR LOCKING
SYNCHRO DOOR
(3 MTR)**

V 2005



**FOUR WAY PORTAL
USED FOR CORNER
(3 & 5 MTR)**

V 2006




**CONNECTOR USED
FOR ALL PROFILE
V 4000, V 4001**

VSPC 4000



**SLIDING LOCK WITH
KEY AND KNOB**

VSL 41



**SLIDING DOOR BUTTON
LOCK WITH HANDLE**

VSL 42



**ALUMINUM SLIDING
DOOR HANDLE**

VSH 43



**FIX CLAMP FOR
FIXING PROFILE**


VFC 01






**SLIM DOOR
FRAME (2.8 & 3.6 MTR)**

VDF 01A



**DOOR FRAME
(INSIDE OPENING) USED
WITH V4000 & V2000
(2.8 & 3.6 MTR)**

VDF 02



**RAMP TYPE MAGNETIC
LOCK USED FOR
OPENABLE DOOR**

VML 4000



**FLOOR SPRING FOR
OPENABLE DOOR**

VFS 90/120 KG




**DOOR HING
(5 x 3 x 3)**

VDH 32




**FLAT DOOR
FRAME (2.8 & 3.6 MTR)**

VDF 01B



**DOOR FRAME (OUTSIDE
OPENING) USED WITH
V4000 & V2000
(2.8 & 3.6 MTR)**

VDF 03



**FINGER & PASSWORD
MAGNETIC LOCK FOR
OPENABLE DOOR**

VFL 4000



**CONSEAL HINGE LIGHT
(25 KG PER PCS)**

VDH 31



**FLOOR SPRING
PATCH**

VFP 01






Fude
16X45

Specification :

- Can be used for single sliding door, pocket door system, telescopic sliding system, synchronized sliding system for elegant look.
- Glass thickness supported: 5 MM and 8 MM.
- Min. door width is 790 MM.
- Max. weight capacity 80 kg.
- Both side soft close system.


SLIDING DOOR SYSTEM WITH SOFT CLOSE (WITHOUT BOTTOM TRACK)

VPS 01




TELESCOPIC SLIDING DOOR SYSTEM WITH SOFT CLOSE 1FIX 2 SLIDE (WITHOUT BOTTOM TRACK)

VPTS 02




TELESCOPIC SLIDING DOOR SYSTEM WITH SOFT CLOSE 1FIX 3 SLIDE (WITHOUT BOTTOM TRACK)

VPTS 03



TELESCOPIC SLIDING DOOR SYSTEM WITH SOFT CLOSE 1FIX 4 SLIDE (WITHOUT BOTTOM TRACK)


VPTS 04



: Color Options :


SYNCHRONIZED SLIDING DOOR SYSTEM 2FIX 2SLIDE (WITHOUT BOTTOM TRACK)

VPSS 01



SLIDING TRACK USED FOR VPTS 02, 03, 04, VPS 01,VPSS 01 (3 & 5 MTR)

VST 20




SLIDING TRACK COVER USED WITH VST 20 TO COVER TRACK FROM BOTH SIDE (3 & 5 MTR)

VST 20A




SLIM SIDE PROFILE USED FOR SLIDING DOOR AND FIX PARTITION (3 & 5 MTR)

V 2000




SLIM SIDE FRAME INTERLOCK PROFILE USED FOR SLIDING DOOR & SYSTEM, TELESCOPIC & SYNCHRONIZE FOR MINIMUM GAP (3 MTR)

V 2000A




TOP & BOTTOM PROFILE USED FOR SLIDING DOOR & OPENABLE DOOR (3 & 5 MTR)

V 2001




DIVIDING PROFILE USED FOR HORIZONTAL AND VERTICAL ACTUAL PARTITION (3 & 5 MTR)

V 2002A




16 X 18 STICKING PROFILE USED FOR DOOR PATTERN (3 & 5 MTR)

V 2003A




7 x 18 STICKING PROFILE USED FOR DOOR PATTERN (3 & 5 MTR)

V 2003B




**ROUND STICKING
PROFILE USED
FOR DOOR PATTERN
(3 & 5 MTR)**

V 2003C




**ROUND CORNER
PIPE (3 MTR)**

V 2004




**INTER LOCKING PROFILE
USED FOR LOCKING
SYNCHRO DOOR (3 MTR)**

V 2005



**FOUR WAY PORTAL
USED FOR CORNER
(3 & 5 MTR)**

V 2006



**PVC SEAL USED FOR
8 MM GLASS WITH
V 2000, V 2000A,
V 2001**

VSPVC 2000



**SLIDING LOCK
WITH KEY AND KNOB**

VSL 21



**SLIDING DOOR BUTTON
LOCK WITH HANDLE**

VSL 22



**CONNECTOR USED FOR
ALL PROFILE V 2000,
V 2000A, V 2001**

VSPC 2000



**SLIDING DOOR
HANDLE**

VSH 23



TWO WAY TYPE

VT 01




**CONNECTOR FOR
DIVIDER**

VSPC 2002A



**FIX CLAMP FOR
FIXING PROFILE**


VFC 01






**SLIM DOOR
FRAME (2.8 & 3.6 MTR)**

VDF 01A




**FLAT DOOR
FRAME (2.8 & 3.6 MTR)**

VDF 01B




**DOOR FRAME
(INSIDE OPENING) USED
WITH V2000 & V4000
(2.8 & 3.6 MTR)**

VDF 02



**DOOR FRAME (OUTSIDE
OPENING) USED WITH
V2000 & V6000
(2.8 & 3.6 MTR)**

VDF 03



**MAGNETIC LOCK
FOR OPENABLE DOOR**

VML 2000



**FINGER & PASSWORD
MAGNETIC LOCK FOR
OPENABLE DOOR**

VFL 2000



**FLOOR SPRING FOR
OPENABLE DOOR**

VFS 90/120 KG




**FLOOR SPRING
PATCH**

VFP 01



CONCEAL HINGE

VDH 31 HEAVY



**DOOR HING
(5 x 3 x 3)**

VDH 32



**SHOWER HANDLE
20MM SQUARE PIPE**

VSH 150x450



**SHOWER HANDLE
WITH KNOB**

VSH 450



**OPENABLE DOOR
PIVOT SET**


VDP 01



**OPENABLE DOOR
PIVOT SET**

VDP 03








Balin

Specification :

- Can be used for single sliding door, pocket door system, telescopic sliding system with soft close, synchronized sliding system for elegant look.
- Min. door width is 790 MM.
- Max. weight capacity 80-100 kg.
- Both side track cover can be used.
- Both side soft close system.

SLIDING DOOR SYSTEM WITH SOFT CLOSE (WITHOUT BOTTOM TRACK)

VHPS 01




SYNCHRONIZED SLIDING DOOR SYSTEM 2FIX 2SLIDE (WITHOUT BOTTOM TRACK)

VHPSS 01




TELESCOPIC SLIDING DOOR SYSTEM WITH SOFT CLOSE 1FIX 2 SLIDE (WITHOUT BOTTOM TRACK)

VHPTS 02



SLIDING TRACK USED FOR VHPTS 02, 03, 04, VHPS 01, VHPSS 01 (3 & 5 MTR)

VST 40



TELESCOPIC SLIDING DOOR SYSTEM WITH SOFT CLOSE 1FIX 3 SLIDE (WITHOUT BOTTOM TRACK)

VHPTS 03



SLIDING TRACK COVER USED WITH VST 40 TO COVER TRACK FROM BOTH SIDE (3 & 5 MTR)

VST 40A



TELESCOPIC SLIDING DOOR SYSTEM WITH SOFT CLOSE 1FIX 4 SLIDE (WITHOUT BOTTOM TRACK)

VHPTS 04



Color Options :



Ceramic Black



Ceramic Champagne



Brush Gold (Matt)




Rose Gold (CP)




Mill


1 Fix 1 Slide




1 Fix 2 Slide




1 Fix 3 Slide



1 Fix 4 Slide



2 Fix 2 Slide





Fuma

Specification :

- Can be used for Telescopic sliding system with soft close for elegant look.
- Can be used for sliding from both side.
- Min. door width is 790 MM.
- Max. weight capacity 80-100 kg.
- Both side track cover can be used.


PROFILE LINKAGE SLIDING DOOR WITHOUT TRACK (3 DOOR SLIDING KIT)

VPLS 03



SLIDING TRACK USED FOR VHPTS 02, 03, 04, VHPS 01,VHPSS 01 (3 & 5 MTR)

VST 40



SLIDING TRACK COVER USED WITH VST 40 TO COVER TRACK FROM BOTH SIDE (3 & 5 MTR)

VST 40A



Color Options :



Ceramic Black



Ceramic Champagne




Brush Gold(Matt)



Rose Gold(CP)





Mill



Movable door 2

Linkage door 1

Movable door 1





Shin

Specification :

- Aluminium finish.
- Glass thickness supported: 10 MM and 12 MM.
- Min. door width is 790 MM.
- Max. weight capacity 60 kg.
- Both side soft close system.
- Both side track cover & Clamp cover can be used.

GLASS DOOR SOFT CLOSE WITHOUT BOTTOM TRACK (1FIX 2 SLIDE)

VGTS 02



GLASS DOOR SOFT CLOSE WITHOUT BOTTOM TRACK (1FIX 3 SLIDE)

VGTS 03




GLASS DOOR SOFT CLOSE WITHOUT BOTTOM TRACK (1FIX 4 SLIDE)

VGTS 04




SLIDING TOP TRACK (3 & 5 MTR)

VST 20



SLIDING TRACK COVER (3 & 5 MTR)

VST 20A



GLASS CLAMP COVER (5 MTR)

VCC 01



Color Options :



Aluminium Matt



EXCLUSIVE SERIES




Automatic Inline

Specification :

- Weight capacity maximum : 60 Kg.
- Door height 600 - 2800 MM.
- Single Door width 900/1200 MM.
- Total Cabinet width 1800/2400 MM.


ALUMINIUM TOP & BOTTOM SHUTTER PROFILE FOR 5MM GLASS (2.5 MTR)

VAP 63



ALUMINIUM SIDE SHUTTER PROFILE FOR 5MM GLASS (3 MTR)

VAP 64



CONCEAL HANDLE (130 MM)

VCH 64



DOOR CONNECTOR JOINT

VAPC 63



Specification :

- > **Voltage Rating:** 200v-240v 50Hz-60Hz
- > **Power Rating:** 30w
- > **Standby Power:** 5w
- > **Door Opening Speed:** 0.17m/s
- > **Control Mode:** Microcomputer processing Controller
- > **Bounce Function:** Rebound in the conditions of damping or bumping
- > **Manual Power Needed when Power Off:** 3kg
- > **Power Consumption:** On average, about 1kWh of electricity consumption in 8 days




Color Options :



Matt Black



Brush Gold (Matt)





Automatic Synchro

Specification :

- Single Sliding Door System Weight 80 & 150 kg.
- Telescopic & Synchro Sliding Door Weight Capacity 80 kg.
- Available In Single Door, Telescopic Door & Synchro System.
- Biometric Access Control And Sensor


**AUTOMATIC SYNCHRONISED
DOOR SYSTEM SUITABLE FOR
3000MM TO 4000MM WIDTH WITH
WIRELESS PUSH BUTTON & REMOTE**

AUTO PSS 02




SIDE PROFILE USED FOR SLIDING DOOR AND FIX PARTITION (3 & 5 MTR)

V 9000




TOP & BOTTOM PROFILE USED FOR SLIDING DOOR & OPENABLE DOOR (3 & 5 MTR)

V 9001




SIDE PROFILE USED FOR SLIDING DOOR AND FIX PARTITION (3 & 5 MTR)

V 8000




TOP & BOTTOM PROFILE USED FOR SLIDING DOOR & OPENABLE DOOR (3 & 5 MTR)

V 8001




7*45 SIDE PROFILE (3 & 5 MTR)

V 4000




7*45 TOP & BOTTOM PROFILE (3 & 5 MTR)

V 4001




SLIM SIDE PROFILE USED FOR SLIDING DOOR AND FIX PARTITION (3 & 5 MTR)

V 2000



TOP & BOTTOM PROFILE USED FOR SLIDING DOOR & OPENABLE DOOR (3 & 5 MTR)

V 2001




SLIDING DOOR HANDLE

VSH 23



ALUMINUM SLIDING DOOR HANDLE

VSH 43



SLIDING DOOR HANDLE

VSH 83



SLIDING DOOR HANDLE USED WITH V9000

VSH 93



DOOR SENSOR

VDS 02



BIOMETRIC ACCESS CONTROL WITH RECEIVER

VAC 03



: Color Options :



Ceramic Black



Ceramic Champagne



Brush Gold(Matt)



Rose Gold(CP)



Ceramic Brown



Mill




Flavia

Specification :

- 4 Slide glass wardrobe.
- Maximum door height 2900 MM
- Maximum door width 600 MM
- Air Hinge & Pin Hinge Openable door can be made.


**SIDE END VERTICAL
FOR BACK SIDE (5 MTR)**

VGP 31




**THE FEET BOTTOM
(5 MTR)**

VGP 32




**FRONT BOTTOM
TOP PROFILE (5 MTR)**

VGP 33




**BACK SIDE BOTTOM
AND TOP PROFILE
(5 MTR)**

VGP 34




**L CORNER PROFILE
(5 MTR)**

VGP 35




**BACK PROFILE
FOR GLASS JOINT
(5 MTR)**

VGP 36




**CLIP FOR GLASS
(5 MTR)**

VGP 37




**SIDE PROFILE FOR
END FOR TOP AND
BOTTOM (5 MTR)**

VGP 38



**PIN HINGE BEAM BOTTOM
(5 MTR)**

VGP 39



Color Options :



Ceramic Black



Walk in

Specification :

- Customized minimalist wardrobe.
- Any other powder coating can be used.
- can be used as different concepts in wardrobe and showcase wall.


**DOOR FRAME
(3 MTR)**

VW 21




**DOOR FRAME
(3 MTR)**

VW 22




**CLIP FOR GLASS
(3 MTR)**

VW 23




**VERTICAL FRAME
(3 MTR)**

VW 24




**HORIZONTAL FRAME
(3 MTR)**

VW 25



CONNECTOR

VWC 21



: Color Options :



Midnight Black



Brush Gold (Matt)







Alessa

Specification :

- Invisible aluminium jamb, that give seamless look.
- Door system have super slim aluminium profiles.
- The door finish on either side can be customized as per your space design & needs.


WALL PANEL VICE FRAME (2.8 & 3.6 MTR)

VDP 21




WALL PANEL STRAIGHT COVER (2.8 & 3.6 MTR)

VDP 22




FIX FRAME USE AT WALL WITH DOOR (2.8 & 3.6 MTR)

VDP 23




DOOR FRAME COVER (2.8 & 3.6 MTR)

VDP 24




DOOR LEAF COVER (2.8 & 3.6 MTR)

VDP 25



DOOR SIDE PROFILE (2.8 & 3.6 MTR)

VDP 26



INVISIBLE DOOR LOCK

VML 20



CONCEAL HINGE (25 KG PER PCS)

VDH 26



DOOR CLOSER




VDC 31



: Color Option :



Midnight Black








W W | S
W A R D R O B E S E R I E S
V V



Aewa


Specification :

- Glass thickness supported: 4 MM & 5 MM.
- Max dimension of the door height 2400 MM & width 450 MM for Air Hinge 20KG.
- 105° opening angel for Air Hinge.
- Max dimension of the door height 2900 MM & width 550 MM for Auto Hinge.
- VWP 302 - RIGHT or LEFT - Top: 1650mm, Handle: 300mm, Bottom: 1050mm.
- VWP 304 & 305 - RIGHT or LEFT - Top: 1700mm, Handle: 1050mm, Bottom: 250mm.




1 MM BORDER STICK PROFILE FOR 4 MM GLASS (3 MTR)

VWP 301




STICK HANDLE PROFILE USED WITH VWP 301 (3 MTR)

VWP 302




6 MM BORDER PROFILE FOR 4 MM OR 5 MM GLASS (3 MTR)

VWP 303




HANDLE PROFILE USED WITH VWP 303 (3 MTR)

VWP 304



HANDLE PROFILE USED WITH VWP 303 (3 MTR)

VWP 305



AIR HINGES

VWA 01



PREMIUM 20 MM HYDRAULIC HINGE WITH CLIP ON

VH 31



PREMIUM 3D 20 MM HYDRAULIC HINGE WITH CLIP ON

VH 41



PROFILE CONNECTOR FOR NORMAL 20MM HINGE

VSPC 301/303 HEAVY



Color Options :



Matt Black



Brush Gold (Matt)



Mill




Aewa+

Specification :

- Glass thickness supported: 4 MM & 5 MM.
- 105° opening angel for Air Hinge.
- Max door weight 30KG.
- Max dimension of the door height 2900 MM & width 550 MM for Auto Hinge.
- VWP 32 - RIGHT or LEFT - Top: 1750mm, Handle: 1050mm, Bottom: 300mm.
- VWP 34 - RIGHT or LEFT - Top: 1750mm, Handle: 1050mm, Bottom: 300mm.


TOP BOTTOM BASE PROFILE FOR AIR HINGE (3.1 MTR)

VWP 30




STICKING SIDE PROFILE FOR 30 KG AIR HINGE (3.1 MTR)

VWP 31




STICK HANDLE PROFILE (1050 MM) USED WITH VWP 31 (3.1 MTR)

VWP 32






SIDE BORDER PROFILE FOR 30 KG AIR HINGE (3.1 MTR)

VWP 33



HANDLE PROFILE USED WITH VWP 33 (3.1 MTR)

VWP 34



30 KG AIR HINGE FOR ONE PROFILE DOOR

VWA 02A



30 KG AIR HINGES CONNECTOR

VSPC 31/33



FINGERPRINT LOCK SET FOR OPENABLE DOOR(30MM)

VWPL 30




TOWER BOLT

VTB 01



Color Options :







Steller

Specification :

- Glass thickness supported: 4 MM & 5 MM.
- 270° opening angel for Pin Hinge.
- Max dimension of the door height 2900 MM & width 550 MM.
- Max door weight 35Kg - 40Kg for 2 pcs.


VERTICAL SIDE PROFILE FOR PIN HINGE (3.1 MTR)

VWP 40





TOP AND BOTTOM PROFILE FOR PIN HINGE DOOR (3.1 MTR)

VWP 41



BUILT IN HANDLE PROFILE (3.1 MTR)

VWP 42



PIN HINGE (2 PC SET)

VWA 03



PROFILE CONNECTOR SET (4 PC SET)

VSPC 40



Min height 1100mm to Max Height 2950 mm



Color Options :

-  Ceramic Black
-  Brush Gold (Matt)
-  Rose Gold




Elio

Specification :

- Glass thickness supported: 4 MM & 5 MM.
- Max door weight 30Kg for 4 Pcs Auto Hinge.
- Max dimension of the door height 2900 MM & width 550 MM for Auto Hinge 30 kg.
- VWP 311 - RIGHT or LEFT - Top: 1750mm, Handle: 200mm, Bottom: 1050mm.
- VWP 312 - RIGHT or LEFT - Top: 1650mm, Handle: 1050mm, Bottom: 300mm.


STICKING SHUTTER PROFILE (3 MTR)

VWP 310




STICKING HANDLE PROFILE USED WITH VWP 310 (3 MTR)

VWP 311




STICKING HANDLE PROFILE USED WITH VWP 310 (3 MTR)

VWP 312



150 MM CONCEALED HANDLE USED WITH VWP 310

VCH 10



PREMIUM 20 MM HYDRAULIC HINGE WITH CLIP ON (PAIR)

VH 31




PROFILE CONNECTOR SET

VSPC 310/313




Color Options :










Terra

Specification :

- Glass thickness supported: 4 MM & 5 MM.
- Max door weight 30Kg for 4 Pcs Auto Hinge.
- Max dimension of the door height 2900 MM & width 550 MM for Auto Hinge 30 kg.

BORDER SHUTTER PROFILE (3 MTR)

VWP 313



150 MM CONCEALED HANDLE USED WITH VWP 313 (Pcs)

VCH 13



700 MM HORIZONTAL HANDLE USED WITH VWP 313 (Pcs)

VWP 318



700 MM HORIZONTAL HANDLE USED WITH VWP 313 (Pcs)

VWP 319



DIVIDER PROFILE USED WITH VWP 313 (3 MTR)

VWP 320



PREMIUM 20 MM HYDRAULIC HINGE WITH CLIP ON (PAIR)

VH 31



PROFILE CONNECTOR SET

VSPC 310/313



Color Options :



Ceramic Black



Brush Gold (Matt)



Rose Gold



Coffee Brown



Mill








Luna

Specification :

- Glass thickness supported: 4 MM & 5 MM.
- Max dimension of the door height 2900 MM & width 550 MM for Auto Hinge 30KG.
- Max door weight 30kg for 4 Pcs Auto Hinge.
- VWP 314 / 316 / 317 - RIGHT or LEFT - Top: 1650mm, Handle: 1050mm, Bottom: 300mm.
- VWP 315 - RIGHT or LEFT - Top: 1750mm, Handle: 200mm, Bottom: 1050mm.


BORDER SHUTTER PROFILE (3 MTR)

VWP 313




BORDER HANDLE PROFILE USED WITH VWP 313 (3 MTR)

VWP 314



BORDER HANDLE PROFILE USED WITH VWP 313 (3 MTR)

VWP 315




BORDER HANDLE PROFILE USED WITH VWP 313 (3 MTR)

VWP 316



BORDER HANDLE PROFILE USED WITH VWP 313 (3 MTR)

VWP 317




PREMIUM 20 MM HYDRAULIC HINGE WITH CLIP ON (PAIR)

VH 31



PROFILE CONNECTOR FOR NORMAL 20MM HINGE (SET)

VSPC 301/303 HEAVY



Color Options :



Ceramic Black



Brush Gold(Matt)



Coffee Brown



Rose Gold(CP)



Mill




Figgo

Specification :

- Glass thickness supported: 4 MM & 5 MM.
- Max dimension of the door height 2900 MM & width 550 MM for Auto Hinge 30KG.
- Max door weight 30kg for 4 Pcs Auto Hinge.



20MM PROFILE APPLIED WITH VAP 102 (3 MTR)

VAP 101




20MM HANDLE PROFILE (TOP TO BOTTOM FULL HANDLE) (3 MTR)

VAP 102




20MM PROFILE APPLIED WITH VAP 132, VAP 133, VAP 134 (3 MTR)

VAP 131




20MM HANDLE PROFILE (TOP TO BOTTOM FULL HANDLE) (3 MTR)

VAP 132




20MM HANDLE PROFILE APPLIED WITH VAP 131 (3 MTR)

VAP 133



20MM HANDLE PROFILE APPLIED WITH VAP 131 (TOP TO BOTTOM FULL HANDLE) (3 MTR)

VAP 134



PREMIUM 20 MM HYDRAULIC HINGE WITH CLIP ON (PAIR)

VH 31



PROFILE CONNECTOR SET

VSPC 01



FINGERPRINT LOCK SET FOR OPENABLE DOOR (20MM)

VWPL 20



TOWER BOLT (500 & 800 MM)

VTB 01



Color Options :



Ceramic Black



Ceramic Champagne



Brush Gold (Matt)



Rose Gold (CP)



Mill








Fia

Specification :

- Glass thickness supported: 4 MM & 5 MM.
- Profile length 3000 MM.
- Wooden door thickness 18 MM.
- VWH 155 & VWH 166 - RIGHT or LEFT - Top: 1650mm, Handle: 1050mm, Bottom: 300mm.
- VLH 15 & VLH 16 - RIGHT or LEFT - Top: 1650mm, Handle: 1050mm, Bottom: 300mm.



WOODEN CUPBOARD HANDLE (3 MTR)

VWH 155




WOODEN CUPBOARD HANDLE (3 MTR)

VWH 166



40MM U HANDLE WITH END CAP (3 MTR)

VAP 107




END CAP FOR VAP 107

VEC 107



21MM U HANDLE WITH END CAP (3 MTR)

VAP 108




END CAP FOR VAP 108

VEC 108




WARDROBE EDGE LEATHER HANDLE FOR 18 MM PLYWOOD (3 MTR)

VLH 14




WOODEN LEATHER HANDLE (3 MTR)

VLH 15



WOODEN LEATHER HANDLE (3 MTR)

VLH 16



LEATHER STRIP 20MM

VLH 18



Color Options :



Ceramic Black



Brush Gold (Matt)



Rose Gold (CP)



Mill








Akira

Specification :

- Glass thickness supported: 4 MM & 5 MM.
- Max dimension of the door height 2900 MM & width 550 MM for Auto Hinge 30KG.
- Max door weight 30kg for 4 Pcs Auto Hinge.

CURVE SHAPE PROFILE (3 MTR)

VWP 401



TOP AND BOTTOM PROFILE USED WITH VWP 401 (400, 450, 500 & 600 MM)

VWP 402




STICKING HANDLE FOR CURVE SHAPE PROFILE (300 & 1200 MM)

VWP 404



VERTICAL HANDLE USED WITH VWP 401 & VWP 402 (3 MTR)

VWP 405



PREMIUM HYDRAULIC HINGE WITH CLIP ON (PAIR)

VH 21



PROFILE CONNECTOR SET

VSPC 01



Color Options :



Ceramic Black



Brush Gold (Matt)




Kaizen

Specification :

- Glass thickness supported: 4 MM & 5 MM.
- Max dimension of the door height 2900 MM & width 550 MM for Auto Hinge 30KG.
- Max door weight 30kg for 4 Pcs Auto Hinge.


SIDE PROFILE (3 MTR)

VAP 01V



VERTICAL HANDLE PROFILE USED WITH VAP 01V (400, 600, 750, 900, 1200, 2500 & 3100 MM)

VAP 02H




PREMIUM HYDRAULIC HINGE WITH CLIP ON (PAIR)

VH 21



BIG PROFILE CONNECTOR

VSPC 01



Color Options :



Matt Black



Graphite Grey



Super Rose Gold



Zen

Specification :

- Glass thickness supported: 5 MM.
- Can be used for full height floor to ceiling wardrobe.
- 10 MM thickness any decorative material can be used min. door width 800 MM.
- Max weight capacity 60 - 80 Kg.


**TWO DOOR SLIDING
DOOR KIT WITH TWO
WAY SOFT CLOSING
WEIGHT CAPACITY
60 KG EACH (1 DOOR KIT)**

VCWS 1




**THREE DOOR SLIDING
DOOR KIT WITH TWO
WAY SOFT CLOSING
WEIGHT CAPACITY
60 KG EACH (3 DOOR KIT)**

VCWS 3



**TOP TRACK
(2.44 & 3.66 MTR)**

V 1001




**BOTTOM TRACK
(2.44 & 3.66 MTR)**

V 1002




**HORIZONTAL TOP
PROFILE FOR
WARDROBE
(2.44 & 3.66 MTR)**

V 1003




**HORIZONTAL BOTTOM
PROFILE FOR WARDROBE
(2.44 & 3.66 MTR)**

V 1004




**HORIZONTAL DIVIDING
PROFILE
(2.44 & 3.66 MTR)**

V 1005




**VERTICAL HANDLE FOR
WARDROBE
(2.44 & 3 MTR)**

V 1006



**VERTICAL HANDLE FOR
WARDROBE
(2.44 & 3 MTR)**

V 1007



**VERTICAL HANDLE FOR
WARDROBE
(2.44 & 3 MTR)**

V 1008



Color Options :



Ceramic Black



Ceramic Champagne



Brush Gold(Matt)



Rose Gold(CP)



Zen⁺

Specification :

- Glass thickness supported: 8 MM.
- One way soft close minimum door width 600 MM/ Two way soft close minimum door width 900 MM.
- 10 MM thickness any decorative material can be used min. door width 800 MM.
- Max weight capacity 60 - 80 Kg.


TWO DOOR SLIDING KIT FOR SLIM PROFILE DOOR

VWS 90




SIDE PROFILE USED FOR SLIDING DOOR AND FIX PARTITION (3 & 5 MTR)

V 8000



SLIM SIDE PROFILE USED FOR SLIDING DOOR AND FIX PARTITION (3 & 5 MTR)

V 2000




SLIDING DOOR HANDLE

VSH 23




TOP & BOTTOM TRACK (2.5 & 4 MTR)

VST 22/23




TOP & BOTTOM PROFILE USED FOR SLIDING DOOR & OPENABLE DOOR (3 & 5 MTR)

V 8001



TOP & BOTTOM PROFILE USED FOR SLIDING DOOR & OPENABLE DOOR (3 & 5 MTR)

V 2001



ALUMINUM SLIDING DOOR HANDLE

VSH 43




SIDE PROFILE USED FOR SLIDING DOOR AND FIX PARTITION (3 & 5 MTR)

V 9000




7*45 TOP & BOTTOM PROFILE (3 & 5 MTR)

V 4000




TOP & BOTTOM PROFILE USED FOR SLIDING DOOR & OPENABLE DOOR (3 & 5 MTR)

V 9001



7*45 SIDE PROFILE (3 & 5 MTR)

V 4001



SLIDING DOOR HANDLE USED WITH V9000

VSH 93



Color Options :



Ceramic Black



Ceramic Champagne



Brush Gold(Matt)



Rose Gold(CP)



Mill




Etro

Specification :

- Glass thickness supported: 5 MM.
- Profile length: 3000 MM
- 130 MM Small CNC Handle.
- Max weight capacity 60 - 80 Kg.
- Two way soft close.


**TOP TRACK FOR
VWF 61 (2.5 MTR)**

VST 61




**BOTTOM TRACK
FOR VWF 61
(2.5 MTR)**

VST 62




**TOP & BOTTOM
PROFILE (2.5 MTR)**

VAP 63




**VERTICAL SIDE
PROFILE (3 MTR)**

VAP 64



VERTICAL HANDLE PROFILE (3 MTR)

VAP 65



DOOR CONNECTOR JOINT

VAPC 63



**SLIDING ROLLER
(ONE DOOR) MIN DOOR
WIDTH 800MM**

VWF 61





: Color Options :




Ceramic Black



Brush Gold(Matt)






Tessa

Specification :

- Glass thickness supported: 5 MM.
- Door width : 250 MM - 500 MM
- Sliding folding without bottom track.
- Max weight capacity 30 Kg.
- VWP 314 & 316 - RIGHT or LEFT - Top: 1650mm, Handle: 1050mm, Bottom: 300mm.
- VWP 315 - RIGHT or LEFT - Top: 1750mm, Handle: 200mm, Bottom: 1050mm.

UPPER TRACK (3 MTR)

VST 31



BORDER HANDLE PROFILE(200 MM) USED WITH VWP 313 (3 MTR)

VWP 315



FULL SET FOR ONE DOOR (ROLLER, HINGES, STOPPER, DRILLING PLATE)

VSS 31




BORDER HANDLE PROFILE(1050 MM) USED WITH VWP 313 (3 MTR)

VWP 316






BORDER SHUTTER PROFILE (3 MTR)

VWP 313



BORDER HANDLE PROFILE(1050 MM) USED WITH VWP 313 (3 MTR)

VWP 314



EXTRA HINGES

VHS 31



CONNECTOR (4Pcs)

VSPC -310/313



Color Options :



Ceramic Black



Brush Gold(Matt)



Mill




Fucon LED

Specification :

- VMS aluminium glass shelf with LED for wardrobe and cupboard, it can be fabricated as per required space.
- Incorporate motion sensor technology to activate the LED lights when the wardrobe doors are opened.
- Explore DIY - friendly LED lighting kits designed specifically for wardrobes.

GLASS SELF PROFILE (3 MTR)

VLP 301



GLASS SELF LED PROFILE (3 MTR)

VLP 302



SIDE BRACKET FOR SELF (4 pcs)

VWSC 301



LED STRIP 3K

WL 30



LED DRIVER

VD 301



Color Options :



Ceramic Black



Brush Gold (Matt)



Rose Gold (CP)



Mill

LED SHELF PROFILE (3 MTR)

VLP 401




SHELF PROFILE END CAP FOR VLP 401

VEC 401




BACKSIDE PROFILE FOR FIX LED SHELF (3 MTR)

VLP 402



FIX LED PROFILE END CAP FOR VLP 402

VEC 402




Color Options :



Ceramic Black




Brush Gold (Matt)




**WARDROBE TUBE
PROFILE (3 MTR)**

VWT 31



**LED PROFILE WITH
PVC COVER (3 MTR)**

VLP 303




SHOE PROFILE (3 MTR)

VLP 304



**SHOE PROFILE
WITH LED (3 MTR)**

VSP 305



HANGING ROD

VWTC 31



Color Options :




Matt Black



Brush Gold (Matt)



Mill





$$\iiint_{\Omega} \frac{dx dy dz}{\sqrt{x^2 + y^2 + z^2}}$$

$$= 2 \int_0^{2\pi} d\theta \int_0^{\pi} \sin \varphi d\varphi \int_0^1 r dr$$

$$= 2 \int_0^{2\pi} d\theta \int_0^{\pi} \sin \varphi d\varphi \int_0^1 r dr$$

$$= 2\pi \int_0^1 r^2 dr$$

$$= 2\pi \int_0^1 r^2 dr \int_0^{\pi} \frac{d\varphi}{\sqrt{r^2 - 1}}$$

$$= \frac{2\pi}{4} \int_0^1 \frac{r^2}{2} dr \int_0^{\pi} \frac{d\varphi}{\sqrt{r^2 - 1}}$$

OFFICE SERIES




Katana
25x25

Specification :

- Glass thickness supported: 10 MM & 12 MM.
- Single glazing.
- Acoustical Insulation: 25-30 dB.
- Can be used with I, L, & T Sections.
- Partition height up to 3000 MM..


SINGLE GLAZE 25*25 FIX PROFILE (3 & 3.66 MTR)

V 1425




SINGLE GLAZE 25*25 MALE FEMALE PROFILE (3 & 3.66 MTR)

V 1426




I SECTION (8/10/12 MM GLASS) (3 MTR)

V 1901




L SECTION (8/10/12MM GLASS) (3 MTR)

V 1902



T SECTION (8/10/12 MM GLASS) (3 MTR)

V 1903



RUBBER 10/12 MM (3 & 3.6 MTR)




VPVC 1425



: Color Options :



Ceramic Black






Ikigai
25x45

Specification :

- Glass thickness supported: 10 MM & 12 MM.
- Single glazing.
- Acoustical Insulation: 32 dB.
- Can be used with I, L, & T Sections.
- Partition height up to 3000 MM..


SINGLE GLAZE FIX PROFILE (2.8 & 3.6 MTR)

V 1401




DOOR FRAME DATTA PATTI SUITABLE FOR SINGLE GLAZE (2.8 & 3.6 MTR)

V 1405




FOUR WAY PORTAL CAP (3 & 5 MTR)

V 1407B




STICK DIVIDER FOR FIX PARTITION (FOR 10MM GLASS ONLY) (3.6 MTR)

V 1904




SINGLE GLAZE MALE FEMALE PROFILE (2.8 & 3.6 MTR)

V 1402




ONE WAY PORTAL (3 & 5 MTR)

V 1406




I SECTION 3000 MM (8/10/12 MM GLASS) (3 MTR)

V 1901



STICK DIVIDER FOR STILE DOOR (FOR 10MM GLASS ONLY) (3.6 MTR)

V 1905




DOOR FRAME COVER SUITABLE FOR SINGLE GLAZE (2.8 & 3.6 MTR)

V 1403




FOUR WAY PORTAL (3 & 5 MTR)

V 1407




L SECTION (8/10/12MM GLASS) (3MTR)

V 1902




STILE DOOR FIX (2.8 MTR)

V 1301




SINGLE GLAZE MALE FEMALE DIVIDER (2.8 & 3.6 MTR)

V 1404




FOUR WAY PORTAL FOLDING (3 & 5 MTR)

V 1407A




T SECTION (8/10/12MM GLASS) (3 MTR)

V 1903



STILE DOOR MALE FEMALE (2.8 MTR)

V 1302



Color Options :










Ceramic Black



Mill








Sphinx
25X105

Specification :

- Glass thickness supported: 10 MM & 12 MM.
- Double glazing.
- Acoustical Insulation: 50 dB.
- Can be used with I, L, & T Sections.
- Partition height up to 3000 MM..

SINGLE GLAZE SLIM FIX PROFILE FOR FIX PARTITION (5 MTR)

V 1025




DOUBLE GLAZE SLIM MALE FEMALE PROFILE FOR FIX PARTITION (5 MTR)

V 1026




DOOR FRAME DATTA PATTI SUITABLE FOR SINGLE GLAZE (2.8 & 3.6 MTR)

V 1405




I SECTION 3000 MM (8/10/12 MM GLASS) (3 MTR)

V 1901



L SECTION (8/10/12MM GLASS) (3 MTR)

V 1902







RUBBER 10/12 MM

VPVC 1025



: Color Options :


Ceramic Black





RS

KITCHEN SERIES



Glider

Specification :

- With a gentle touch of the sensor panel.
- This versatile furniture can fit into many area in your Home, Kitchen, Dinning Room, Living Room and Bathroom.
- This internal cabinet lights will turn on and off automatically when you open or close door.
- Prevent slamming during closure and minimize overall operating noise.

Suitable for :

KITCHEN / DINING ROOM


SIZE (WxDxH)	GLASS COLOR	CARCASE COLOR
900MM x 350MM x 780MM	WHITE / BLACK	WHITE

KITCHEN / DINING ROOM

SIZE (WxDxH)	GLASS COLOR	CARCASE COLOR
600MM x 350MM x 780MM	WHITE / BLACK	WHITE



Standard Specification :





Kitchen Italia

Specification :

- Strong grip and Softer corner.
- Any material can be used 4MM & 5MM.
- Light weight shutter & Super tough glass aluminium shutter.
- Good strength with Honey comb filling.


VERTICAL SIDE SHUTTER PROFILE (3 MTR)

VKP 11



BOTTOM HORIZONTAL PROFILE (3 MTR)

VKP 12



TOP SHUTTER HANDLE PROFILE (3 MTR)

VKP 13



TOP SHUTTER U HANDLE PROFILE (3 MTR)

VKP 14



SLANT HANDLE PROFILE (3 MTR)

VKP 15



CONNECTOR (4 Pc)

VSPC 11



CONNECTOR (4 Pc)

VSPC 12



CONNECTOR (4 Pc)

VSPC 13



Color Options :



Ceramic Black




Kitchen Profiles

Specification :

- Kitchen shutter & Openable wardrobe doors.
- No screw visible from backside.
- Back painted glass or any material can be used 4MM & 5MM.



GLASS STICK PROFILE FOR WOODEN SHUTTER (3 MTR)

VAP 315




GLASS STICK HANDLE FOR WOODEN SHUTTER (3 MTR)

VAP 316





GLASS STICK PROFILE 4MM DOUBLE SLOT APPLIED WITH VAP 216 (3 MTR)

VAP 215



GLASS STICK HANDLE PROFILE DOUBLE SLOT (3 MTR)

VAP 216



Color Options :



Ceramic Black



Brush Gold (Matt)



Aluminium




Gola

Specification :

- Used as edge profile with Gold profile.
- VAP 23 Skirting used with different End cap.
- VLS 22 Cupboard & Wardrobe foot line lamp.

T PROFILE USED WITH GOLA (3 MTR)

VAP 222



80MM SKIRTING (3 MTR)

VAP 223



: Color Options :



Ceramic Black



Brush Gold(Matt)




Rose Gold(CP)



Aluminium Matt

LED SKIRTING (3 MTR)

VLS 41




LED SKIRTING STRAIGHT JOINT (3 MTR)

VLS 42



LED SKIRTING JOINT (3 MTR)

VLS 43



: Color Options :




Ceramic Black



Aluminium Matt


LED C GOLA (ROUND) (3 MTR)

VAP 201




LED J GOLD (ROUND) (3 MTR)

VAP 202




VERTICLE C GOLA (3 MTR)

VAP 203



VERTICLE J GOLA\ (3 MTR)

VAP 204



GOLA C PROFILE (3 MTR)

VAP 103



GOLA J PROFILE (3 MTR)

VAP 104



: Color Options :



Aluminium Matt



Ceramic Black



Brush Gold



Grey Sapphire(CP)



Ceramic Champagne




Rose Gold(CP)



Ceramic Rose Gold


**WALL CARCASE
GOLA PROFILE
(3 MTR)**

VAP 137




**OVERHEAD CARCASE
GOLA PROFILE
(3 MTR)**

VAP 138



**WALL CARCASE GOLD
PROFILE WITH LED
(3 MTR)**

VAP 139



Color Options :



Aluminium Matt



Ceramic Black



Grey Sapphire(CP)



Rose Gold(CP)


**ALUMINIUM HANDLE
PROFILE (3 MTR)**

VAP 112




**ALUMINIUM HANDLE
PROFILE (3 MTR)**

VAP 113





**ALUMINIUM HANDLE
PROFILE (3 MTR)**

VAP 150



**ALUMINIUM HANDLE
PROFILE (3 MTR)**

VAP 152



Color Options :



Aluminium Matt



Ceramic Black



Ceramic Grey



Ceramic Champagne



Rose Gold(CP)



Ceramic Rose Gold


ALUMINIUM HANDLE PROFILE (3 MTR)

VAP 153




ALUMINIUM HANDLE PROFILE (3 MTR)

VAP 156




END CAP G PROFILE (3 MTR)

VAP 155



35 MM G HANDLE (3 MTR)

VAP 18




END COVER CAP FOR VAP 155

VEP 155



END CAP FOR VAP 18

VEC 18



Color Options :



Aluminium Matt



Ceramic Champagne



Ceramic Black



Ceramic Iphone Gold



Rose Gold(CP)




Ceramic Grey



Grey Sapphire(CP)


ALUMINIUM HANDLE PROFILE (3 MTR)

VAP 154




40 MM J HANDLE (3 MTR)

VAP 21




U HANDLE (3 MTR)

VAP 23






L HANDLE (3 MTR)

VAP 34



ALUMINIUM HANDLE PROFILE (3 MTR)

VAP 136



Color Options :



Aluminium Matt



Ceramic Black



Ceramic Grey



Grey Sapphire(CP)



Rose Gold(CP)



Ceramic Champagne




Ceramic Rose Gold



Profiles



**20MM PROFILE APPLIED
WITH VAP 11 (3 MTR)**

VAP 13




**20MM TOP HANDLE
PROFILE (3 MTR)**

VAP 11




**20MM PROFILE
APPLIED WITH VAP 54
(3 MTR)**

VAP 07



**20MM HANDLE
PROFILE (3 MTR)**

VAP 54



Color Options :



Aluminium Matt



Ceramic Black



Graphite Grey




Grey Sapphire(CP)



Rose Gold(CP)

**45MM 4MM PROFILE
SINGLE SLOT APPLIED
WITH VMS 02 (3 MTR)**

VAP 01




**67MM 4MM PROFILE
SINGLE SLOT (3 MTR)**

VAP 02



**38MM 4MM PROFILE
(3 MTR)**

VAP 117C



Color Options :



Aluminium Matt



Ceramic Black



Ceramic Grey



Ceramic Iphone Gold



Ceramic Champagne




Rose Gold(CP)



Grey Sapphire(CP)


**45MM PROFILE APPLIED
WITH VAP 10,VAP 15,
VAP 121 (3 MTR)**

VAP 08




**67MM HANDLE
PROFILE (3 MTR)**

VAP 10




**38MM 4MM
PROFILE (3 MTR)**

VAP 15





**20MM PROFILE APPLIED
WITH VMS 54 (3 MTR)**

VAP 29



**45MM WITH 40MM
J HANDLE (3 MTR)**

VAP 121



Color Options :



Aluminium Matt



Ceramic Black



Graphite Grey



Ceramic Iphone Gold



Ceramic Champagne



Brush Gold




Rose Gold(CP)



Grey Sapphire(CP)


**45MM SLIM PROFILE
APPLIED WITH
VAP 59 (3 MTR)**

VAP 58




**67MM SLIM HANDLE
PROFILE (3 MTR)**

VAP 59





**GLASS STICK PROFILE
APPLIED
WITH VAP 110 (3 MTR)**

VAP 109



**GLASS STICK
HANDLE PROFILE
(3 MTR)**

VAP 110



Color Options :



Aluminium Matt



Ceramic Black



Ceramic Grey




Ceramic Iphone Gold



Rose Gold(CP)


**GLASS STICK PROFILE
4MM APPLIED WITH
VAP 116, VAP 116A
(3 MTR)**

VAP 115




**GLASS STICK 4 MM
HANDLE PROFILE
(3 MTR)**

VAP 116




**GLASS STICK 4 MM
G HANDLE PROFILE
(3 MTR)**

VAP 116A




**GLASS STICK SLIM
PROFILE APPLIED WITH
VAP 125, VAP 125A
(3 MTR)**

VAP 124




**GLASS SLIM
HANDLE PROFILE (3 MTR)**

VAP 125



**GLASS SLIM G
HANDLE PROFILE (3 MTR)**

VAP 125A



Color Options :



Aluminium Matt



Ceramic Black



Ceramic Grey



Ceramic Champagne



Brush Gold



Rose Gold(CP)




Ceramic Iphone Gold



Grey Sapphire(CP)


**50MM 1MM BORDER
PROFILE (3 & 3.6 MTR)**

VAP 03



**72MM 1MM BORDER
HANDLE PROFILE
(3 & 3.6 MTR)**

VAP 04



Color Options :



Aluminium Matt



Ceramic Black

**PREMIUM 20 MM
HYDRAULIC HINGE
WITH CLIP ON (ZINC)**

VH 31,32,33

(Full, Half & Inset)



**PREMIUM 20 MM
HYDRAULIC HINGE
WITH CLIP ON (BLACK)**

VH 31,32,33

(Full, Half & Inset)



**PREMIUM 20 MM 3D
HYDRAULIC HINGE
WITH CLIP ON (BLACK)**

VH 41,42,43

(Full, Half & Inset)



**PREMIUM HYDRAULIC
HINGE WITH
CLIP ON (ZINC)**

VH 21,22,23

(Full, Half & Inset)



**PREMIUM HYDRAULIC
HINGE WITH
CLIP ON (BLACK)**

VH 21,22,23

(Full, Half & Inset)



**PREMIUM HYDRAULIC
HINGE WITH
CLIP ON (ZINC)**

VH 24,25,26

(Full, Half & Inset)



**PREMIUM HYDRAULIC
HINGE WITH
CLIP ON (ZINC)**

VH 27,28,29

(Full, Half & Inset)



**PREMIUM AUTO
HINGE WITH
SLID ON (ZINC)**

VH 11,12,13

(Full, Half & Inset)



**PREMIUM HYDRAULIC
HINGE WITH
SLIDE ON (ZINC)**


VH 14,15,16

(Full, Half & Inset)




**SLIM SLIDING DOUBLE
TRACK FOR WOODEN
SHUTTER
(2, 2.44 & 3.66 MTR)**

VST 13A




**SLIM SLIDING DOUBLE
TRACK FOR WOODEN
SHUTTER
(2, 2.44 & 3.66 MTR)**

VST 13A COVER




**SLIM SLIDING DOUBLE
TRACK FOR PROFILE
SHUTTER
(2, 2.44 & 3.66 MTR)**

VST 13B



**SLIM SLIDING TRACK
FOR ALL DOOR
4 PCS SET
(2, 2.44 & 3.66 MTR)**

VST 13C



**OPK SLIM FITTING
(1 DOOR KIT)**

VPS 13



**SLIM FITTING
(2 DOOR KIT)**

VPS 14









Contact

VMS TRADE LINK

F 104, S G Business Hub,
Gota Overbridge, Vasant Nagar, Gota,
Ahmedabad, Gujarat 380061

Follow us on

   [/vmsplus.in](https://www.linkedin.com/company/vmsplus.in)